

SHOP SPECIALS



FIRST CALL™

DEDICATED TO THE PROFESSIONAL

GENERAL REPAIR • FLEET & HEAVY-DUTY • PAINT & BODY • COMMODITY ITEMS

DECEMBER 2013



\$3 OFF



RAVEN POWDER FREE NITRILE GLOVES

- 6 mil thickness
- 100 gloves per box
- Latex free

- SAS 66516 SMALL
- SAS 66517 MEDIUM
- SAS 66518 LARGE
- SAS 66519 X-LARGE
- SAS 66520 XX-LARGE

YOUR CHOICE **\$13⁹⁹**



FIRSTCALLONLINE.COM

\$3 OFF




MAGNETIC WORK TRAY

Sticks to almost any metal surface. Two strong double magnets. Keeps small metal parts and tools from getting lost. Even works sideways and upside down. 6" diameter tray.

\$4.99 PFM W1264

\$2 OFF



INFLATOR GAUGE

Inflator gauge with 12" hose 12 - 120 psi.

\$12.92 XTS 15-5922

PAGE 2

PAGE 4

PAGE 6



3-1/2 TON HEAVY-DUTY JACK

\$20 OFF

FREE

13.5 OZ. MIDI PPS KIT WITH QUALIFYING PURCHASE*



Mobil
MOBIL DELVAC
1300 SUPER
15W-40



\$5 OFF



FIRSTCALLONLINE.COM



\$20 OFF

IR Ingersoll Rand

1/2" COMPOSITE IMPACT

A great power-to-weight ratio to get the job done. Delivering 550 ft-lb of maximum reverse torque and weighing only 4.3 pounds, this tool has what it takes to handle the toughest jobs.

\$149.99 IR 2100G



\$6 OFF

P Performance Tool®

DIGITAL CALIPER

- Measures outside, inside, step and depth
- 0-6" range with SAE to Metric conversion
- Large, easy-to-read LCD display

\$13.99 PFM W80152



\$1 OFF

MASTERPRO

FLEXIBLE HOSE CLAMP DRIVER

- 90° access
- 1/4" and 5/16" two-in-one socket

\$10.69 MHC MP9999V



Gates

MOLDED COOLANT HOSES

Gates hoses are engineered to resist electrochemical degradation, the leading cause of hose failure. Every Gates hose is OE quality, heat and ozone resistant and factory molded to fit specific applications.

- Re-engineered materials resist vacuum collapse, reducing the need for internal springs in many applications
- Recommended for upper, lower, by-pass, heater and other coolant hose applications
- Meets SAE 20R-4 and 20R-3 Type EC Class D-1 and D-2 specifications



FEATURE PRODUCT

BIG SAVINGS FOR THE PROFESSIONAL

3-1/2 TON HEAVY-DUTY JACK

- New "L" frame design increases structural rigidity by 20% and offers a wide lifting range of 4-1/2" - 21"
- Twin 20mm hydraulic pump lifts at twice the speed

\$179.99 AC 34700

\$20 OFF

ACDelco



P Performance Tool®

11" LONG NOSE PLIERS YOUR CHOICE \$7.99

Straight PFM W1044

45° PFM W1045

90° PFM W1046



\$1 OFF

\$1 OFF

\$1 OFF


Lisle

HOSE REMOVER SET

Contains long and short, standard and offset hooks. Long pullers are 13" long. Rods are heat-treated for strength and plated for durability.

\$29.99 LIS 80200

\$10 OFF





\$20 OFF



UNDER LIFT TRANSMISSION JACKS

PART #	CAPACITY	MIN HEIGHT	MAX HEIGHT	PRICE
BLK BH7000	700 lbs	53-1/4"	78-3/8"	\$363.99



\$2 OFF

5 PIECE PRY BAR SET

- Heat treated drop forged steel
- 8", 12", 18" and 24" sizes
- Set also includes a 16" solid steel roll type pry bar

\$19.99 PFM W2025



\$1 OFF

CURVED HOOK

Dominator heavy-duty scratch awl and pick. Used for a wide variety of applications, such as automotive and electrical work in confined spaces, scribing lines, o-ring and cotter pin removal, and to break radiator connections.

\$8.99 MAY 62002



CARBON SCRAPER

1" Dominator heavy-duty scraper. Used for a multitude of applications, such as removing gaskets, rust, paint, carbon buildup and floor tile. Blades are ground for a sharp edge and can be re-sharpened after heavy use to return the cutting edge to sharpness.

\$1 OFF

\$8.99 MAY 62006



OIL ABSORBENT PADS

Double sided coverstock offers extra durability, and bonded layers add strength and allows fluid to spread through the material quicker for the best absorption rate. Ideal for aggressive and non-aggressive leaks and spills in maintenance bays, work stations and routine industrial applications.

Roll Size: 30" x 150"

\$119.99 OD L90540

\$19 OFF

15" x 19", 50 Pads Per Box

\$37.99 OD L90907

\$5 OFF



A BATTERY FOR EVERY JOB

Nationwide, toll-free warranty assistance built into every battery we sell

All Super Start batteries come with nationwide, toll-free warranty assistance. Super Start works with a nationwide network of authorized warranty facilities. In the event a Super Start battery fails and the customer's car is over 25 miles from your shop, the Super Start Warranty Administrator will locate the closest facility for your customer.





LIDS AND LINERS

Contains lids, filters, liners and sealing caps.

ITEM NUMBER	SIZE	FILTER	ITEMS	CAPACITY	PRICE
MMM 16112	Midi	200 Micron Filter	50	13.5 oz.	\$85.64
MMM 16312	Midi	125 Micron Filter	50	13.5 oz.	\$85.64



2 IN 1 PRIMER

- Specialty coating designed for easy and convenient priming of metal and plastic parts
- Helps prevent rust and seals out moisture, while providing a smooth base for topcoat applications on metal substrates
- Have excellent flexibility and adhesion properties that enable them to be applied to flexible and rigid parts
- Fast drying, provide superior fill and build and are easy to sand

\$10.66 TRS 4603 20 oz.



FEATURE PRODUCT

FREE

13.5 OZ. MIMI PPS KIT WITH QUALIFYING PURCHASE*



MMM 16122

MMM 16112


*Buy Accuspray™ Spray Gun and 2 boxes of spray heads and get a choice of 16112 or 16312 13.5oz PPS lids/liners and one cup/collar (MMM 16122).



TRIZACT™ HOOKIT™ FOAM DISC

P3000 **\$6.62** MMM 2085 6" diameter

P5000 **\$6.26** MMM 30662 6" diameter



PERFECT-IT™ 1 FINISHING COMPOUND

\$41.98 MMM 36064 Quart
\$130.19 MMM 36065 Gallon



3M™ PERFECT-IT™ 1 PAINT FINISHING SYSTEM

DEFECT REMOVAL P1500

To remove dirt nibs and level excess surface texture over large or small areas.

3M™ PURPLE FINISHING FILM, P1500, PN 30667

SCRATCH REFINEMENT P3000

Reduce paint finishing time by refining the remaining scratches.

3M™ TRIZACT™ HOOKIT™ FOAM DISC, P3000, PN 02085



ACCUSPRAY™ SPRAY GUN MODEL HG14

Designed for the application of coatings requiring the use of a 1.4mm atomizing head. Provide exceptional results through excellent atomization, resulting in high transfer efficiency with low overspray. Designed to help improve productivity and minimize clean up time.

\$148.40 MMM 16577



ACCUSPRAY™ ATOMIZING HEAD REFILL KIT

• 1.4mm

\$18.37 MMM 16612 (4 nozzles)

MOONSUIT NYLON/COTTON COVERALLS

- Lightweight and lint free
- Durable nylon front and cool cotton back
- Full pullover hood and two pockets
- Elastic wrists and waists
- Velcro® ankle closure for easy donning without removing clothing
- No color reflection problems

\$18.34 SAS 6938 Large

\$18.34 SAS 6939 X-Large

\$18.34 SAS 6940 XXX-Large



\$4 OFF



PERFECT-IT™ 1 FINISHING PAD

Use with Quick Connect Adapter 5752

\$25.01 MMM 33291



PERFECT-IT™ 1 FINISHING PAD

- 8" inset
- Uses Hook-It pad 5717 or Perfect-It pad 5718

\$21.04 MMM 33293



BANDIT MAINTENANCE-FREE DUAL CARTRIDGE RESPIRATOR

- Soft blue, thermoplastic elastomer facepiece is supple, form fitting and can be worn for hours
- N95 filters breathe easy
- Ergo-contour design assures a secure, comfortable seal around the contours of the face
- NIOSH approved

\$15.44 SAS 8661-92 Medium

\$15.44 SAS 8661-93 Large

\$2 OFF



X GLAZE

Specifically designed for repairing hairline cracks, dings, hail damage, pinholes, full panel contouring and skim coating.

\$24.69 BDO 1097 24 oz.



DA POLISHING 5000

Eliminate traditional rubbing compounds and polishers, replacing them with 3M™ Trizact™ Hookit™ Foam Disc's, 5000, PN 30662*

*P3000 abrasive is required prior to using 5000 abrasive

3M™ TRIZACT™ HOOKIT™ FOAM DISC, P3000, PN 30662


FINISHING

Remove DA polishing scratches and bring up a high gloss finish.

3M™ PERFECT-IT™ 1 FINISHING MATERIAL, PN 36064/36065

3M™ PERFECT-IT™ 1 FINISHING PAD, PN 33291, 33293

To eliminate fine swirl marks, especially on dark finishes, use 3M™ Perfect-it™ Ultrafine Machine Polish





COILED NYLON TUBING ASSEMBLY KITS

Coiled Airline Sets
Includes 12' length, 6" leads, 1 red hose, 1 blue hose.

\$41.40 TMI 17212

Includes 15' length, 12" leads, 1 red hose, 1 blue hose.

\$42.67 TMI 17215



TWO 3/8" I.D. HOSE SPACER

\$1.36 TMI 940-5



HOSE HOLDER CLAMP KIT

Holds 2 hoses and 1 cable.

\$2.80 BBH GT5001



HOSE SUPPORT SPRINGS

1" OD x 13" Long

\$3.04 BBH GT5002

1" OD x 25" Long

\$5.00 BBH GT5004




ALUMINUM GLADHANDS

PART #	DESCRIPTION	PRICE
BBH GT5330	Universal Aluminum Gladhand	\$3.22
BBH GT5331	Emergency Aluminum Gladhand	\$3.22
BBH GT5332	Service Aluminum Gladhand	\$3.22

FEATURE PRODUCT

ADVANCED TECHNOLOGY FOR TODAY'S MODERN ENGINES



BRAKEBEST HD

COMPLETE SPRING BRAKES

30/30 Standard

\$41.92 BBH OETS3030

GLADHAND SEALS

Small Face
Polyurethane Seals

\$1.04 BBH GT2601 Red
BBH GT2602 Blue



Flat Rubber Gladhand Seals

\$0.40 BBH GT2599

Double Lip Rubber Gladhand Seals

\$0.32 BBH GT2600

THE ULTIMATE WINTER PROTECTION



LUBRICITY PLUS FUEL POWER

Superior year round diesel fuel treatment that combines all the benefits of Fuel power and the most effective ultra low sulfur lubricating technology available today.

MELT DOWN

Specifically formulated to dissolve gelled fuel back into solution and return the flow in approximately 20 minutes.

- Treats 50 gallons



MOBIL DELVAC 1300 SUPER 15W-40

An extra high performance diesel engine oil that helps extend engine life in the most severe on and off-highway applications. Delivers outstanding performance in modern, high-output, low-emission engines including those with Exhaust Gas Recirculation (EGR) and Aftertreatment Systems with Diesel Particulate Filters (DPFs) and Diesel Oxidation Catalysts (DOCs).

Gallon
\$12.99 MOB DELVAC15-40-1

5 Gallons
\$64.99 MOB DELVAC15-40-5

\$20 OFF

\$5 OFF




HOSE END KITS

- Consists of two reusable swivel ends and a hexwrench
- For 3/8" ID J1402 type A, AI and AII hose with a minimum of 3/4" OD

\$7.21 TMI 70-31402 3/8 NPTF

\$10.36 TMI 70-31403 1/2 NPTF



AB SERIES AIR BRAKE HOSE

- Four spiral construction meets SAE J1402 specifications
- Complies with DOT FMVSS 106 requirements

PART #	LENGTH	I.D.	PRICE
GAT 27240	50'	3/8"	\$39.50
GAT 27241	50'	1/2"	\$48.50

SURELOK™ AIR BRAKE FITTINGS

- Designed for use with SAE J844 nylon tubing
- DOT FMVSS571.106 compliant
- Fittings meet performance requirements as stated in SAE J1131

Male Straight Connectors

PART #	TUBE SIZE	PIPE SIZE	PRICE
GAT G31100-0402	1/4"	1/8"	\$3.39
GAT G31100-0404	1/4"	1/4"	\$3.74
GAT G31100-0604	3/8"	1/4"	\$6.05
GAT G31100-0606	3/8"	3/8"	\$6.57
GAT G31100-0808	1/2"	1/2"	\$10.19



Male 90° Swivel Connectors

PART #	TUBE SIZE	PIPE SIZE	PRICE
GAT G31124-0404	1/4"	1/4"	\$7.02
GAT G31124-0606	3/8"	3/8"	\$9.98
GAT G31124-0808	1/2"	1/2"	\$13.40



NYLON AIR BRAKE TUBING

- Conforms to SAE J844 specifications; meets D.O.T. FMVSS 106
- Use with Gates air brake fittings for nylon tubing
- Use with Gates Surelok™ air brake fittings



PART #	DESCRIPTION	PRICE
GAT H30002-04	Black - 1/4" x 100'	\$32.00
GAT H30002-06	Black - 3/8" x 100'	\$62.00
GAT H30002-08	Black - 1/2" x 100'	\$86.00



HAND HELD HOSE CUTTER

Makes clean cuts - no ragged edges. Cuts most non-metal reinforced rubber hoses. Excellent for cutting PolarSeal® hose.

\$14.64 GAT 91143



AIR BRAKE ANTI-FREEZE

Champion Air Brake Anti-Freeze is a dual purpose product, protecting air lines from freeze-up and preventing rust and corrosion in air lines. Recommended for use in air brake lines to absorb moisture in the system. It protects and keeps air brake systems clean.

MONROE

QUICK-STRUT

REPLACEMENT ASSEMBLY

Premium Sensa-Trac®, Reflex® or OESpectrum® Strut
Technology Based on Application



MONROE® QUICK-STRUT

Complete, Ready-to-Install Replacement Strut Assembly

The revolutionary Monroe Quick-Strut unit is the first complete, ready-to-install replacement strut assembly available! Monroe Quick-Strut units include all the components required for strut replacement in a single, fully-assembled unit.

MONROE

ECONO-MATIC

REPLACEMENT ASSEMBLY



THE ECONOMICAL CHOICE

- QUICKER**
No need to take apart existing strut assembly
- SAFER**
No need to compress coil springs
- EASIER**
No specialized tools needed
- ECONOMICAL**
Nitrogen gas-charged strut for improved comfort at an economical price



The value alternative for a complete, ready-to-install strut assembly



Provides precise, proportional damping based on the speed of vehicle-to-road impact, ensuring the ideal balance of comfort and control for any driving condition.

The Ideal Balance of Comfort and Control

www.monroe.com



Ride Safe.

DEDICATED TO THE PROFESSIONAL

FIRSTCALLONLINE.COM



- Professional on-line ordering
- Receive earnbacks*
- See our inventory and pricing
- Shop management available



PRO PRICE ASSURANCE

Consistent discounts
Overall savings commitment
No minimum purchase to qualify



SERVICE CENTER PROGRAMS*

Nationwide warranty
Roadside assistance
Shop management training

*See your sales representative for qualifications



STOCK MANAGER

Eliminate obsolete inventory from sitting on your shelves
Monthly discount for online stock orders
Electronic tracking of your inventory
Make sure you have the correct inventory on the shelf

This advertisement is prepared in advance. Therefore, an advertised product may not be available due to sales above anticipated demand, or because of circumstances beyond our control. In every case, we are committed to resolving inventory shortages. We reserve the right to limit quantities and substitute equal value/like items for out of stock or discontinued merchandise. Artwork is for illustrative purposes only. Not responsible for errors in descriptions and/or illustrations. Not responsible for misprints. Special order items are noted with a Factory Direct logo. Freight charges may apply.